RAW SEQUENCE LISTING

EFS

The Biotechnology Systems Branch of the Scientific and Technical
Information Center (STIC) no errors detected.

Application Serial Number: ___10/ 826, 966 B___
Source: ___1 Fw/16___
Date Processed by STIC: ___3/27/07___

ENTERED

RAW SEQUENCE LISTING   DATE: 03/27/2007
PATENT APPLICATION: US/10/826,966B   TIME: 15:00:13

Input Set : **N:\efs\03_27_07\10826966B_efs\03-465-D_Sequence.TXT**
Output Set: **N:\CRF4\03272007\J826966B.raw**

```
 3 <110> APPLICANT: Sirna Therapeutics, Inc.
 4        McSwiggen, James
 5        Macejak, Dennis
 6        Morrissey, David
 8 <120> TITLE OF INVENTION: RNA Interference Mediated Inhibition of Gene Expression
Using
 9        Chemically Modified Short Interfering Nucleic Acid (siNA)
11 <130> FILE REFERENCE: 400/151 (03-465-D)
13 <140> CURRENT APPLICATION NUMBER: US 10/826,966B
14 <141> CURRENT FILING DATE: 2004-04-16
16 <150> PRIOR APPLICATION NUMBER: US 10/757,803
17 <151> PRIOR FILING DATE: 2004-01-14
19 <150> PRIOR APPLICATION NUMBER: US 10/720,448
20 <151> PRIOR FILING DATE: 2003-11-24
22 <150> PRIOR APPLICATION NUMBER: US 10/693,059
23 <151> PRIOR FILING DATE: 2003-10-23
25 <150> PRIOR APPLICATION NUMBER: US 10/444,853
26 <151> PRIOR FILING DATE: 2003-05-23
28 <150> PRIOR APPLICATION NUMBER: US 10/652,791
29 <151> PRIOR FILING DATE: 2003-08-29
31 <150> PRIOR APPLICATION NUMBER: US 10/422,704
32 <151> PRIOR FILING DATE: 2003-04-24
34 <150> PRIOR APPLICATION NUMBER: US 10/417,012
35 <151> PRIOR FILING DATE: 2003-04-16
37 <150> PRIOR APPLICATION NUMBER: US 10/427,160
38 <151> PRIOR FILING DATE: 2003-04-30
40 <150> PRIOR APPLICATION NUMBER: PCT/US03/05346
41 <151> PRIOR FILING DATE: 2003-02-20
43 <150> PRIOR APPLICATION NUMBER: PCT/US03/05028
44 <151> PRIOR FILING DATE: 2003-02-20
46 <150> PRIOR APPLICATION NUMBER: US 60/358,580
47 <151> PRIOR FILING DATE: 2002-02-20
49 <150> PRIOR APPLICATION NUMBER: US 60/363,124
50 <151> PRIOR FILING DATE: 2002-03-11
52 <150> PRIOR APPLICATION NUMBER: US 60/386,782
53 <151> PRIOR FILING DATE: 2002-06-06
55 <150> PRIOR APPLICATION NUMBER: US 60/406,784
56 <151> PRIOR FILING DATE: 2002-08-29
58 <150> PRIOR APPLICATION NUMBER: US 60/408,378
59 <151> PRIOR FILING DATE: 2002-09-05
61 <150> PRIOR APPLICATION NUMBER: US 60/409,293
62 <151> PRIOR FILING DATE: 2002-09-09
64 <150> PRIOR APPLICATION NUMBER: US 60/440,129
65 <151> PRIOR FILING DATE: 2003-01-15
```

```
67 <150> PRIOR APPLICATION NUMBER: PCT/US02/15876
68 <151> PRIOR FILING DATE: 2002-05-17
70 <160> NUMBER OF SEQ ID NOS: 674
72 <170> SOFTWARE: PatentIn version 3.3
74 <210> SEQ ID NO: 1
75 <211> LENGTH: 21
76 <212> TYPE: RNA
77 <213> ORGANISM: Artificial Sequence
79 <220> FEATURE:
80 <223> OTHER INFORMATION: Description of Artificial Sequence: siNA sense region
83 <220> FEATURE:
84 <221> NAME/KEY: misc_feature
85 <222> LOCATION: (1)..(1)
86 <223> OTHER INFORMATION: 5'-3 attached terminal deoxyabasic moeity
88 <220> FEATURE:
89 <221> NAME/KEY: misc_feature
90 <222> LOCATION: (21)..(21)
91 <223> OTHER INFORMATION: 3'-3 attached terminal deoxyabasic moeity
93 <400> SEQUENCE: 1
94 uaaccucgua cuggugccuc c                                             21
97 <210> SEQ ID NO: 2
98 <211> LENGTH: 21
99 <212> TYPE: RNA
100 <213> ORGANISM: Artificial Sequence
102 <220> FEATURE:
103 <223> OTHER INFORMATION: Description of Artificial Sequence: siNA antisense region
106 <220> FEATURE:
107 <221> NAME/KEY: misc_feature
108 <222> LOCATION: (1)..(1)
109 <223> OTHER INFORMATION: 5'-3 attached terminal deoxyabasic moeity
111 <220> FEATURE:
112 <221> NAME/KEY: misc_feature
113 <222> LOCATION: (21)..(21)
114 <223> OTHER INFORMATION: 3'-3 attached terminal deoxyabasic moeity
116 <400> SEQUENCE: 2
117 ggaggcacca guacgagguu a                                            21
120 <210> SEQ ID NO: 3
121 <211> LENGTH: 21
122 <212> TYPE: RNA
123 <213> ORGANISM: Artificial Sequence
125 <220> FEATURE:
126 <223> OTHER INFORMATION: Description of Artificial Sequence: siNA antisense region
129 <220> FEATURE:
130 <221> NAME/KEY: misc_feature
131 <222> LOCATION: (1)..(1)
132 <223> OTHER INFORMATION: 5'-3 attached terminal deoxyabasic moeity
134 <220> FEATURE:
135 <221> NAME/KEY: misc_feature
136 <222> LOCATION: (21)..(21)
```

```
137 <223> OTHER INFORMATION: 3'-3 attached terminal deoxyabasic moeity
139 <400> SEQUENCE: 3
140 aaacuccaag auccccaauc a                                          21
143 <210> SEQ ID NO: 4
144 <211> LENGTH: 21
145 <212> TYPE: RNA
146 <213> ORGANISM: Artificial Sequence
148 <220> FEATURE:
149 <223> OTHER INFORMATION: Description of Artificial Sequence: siNA sense region
152 <220> FEATURE:
153 <221> NAME/KEY: misc_feature
154 <222> LOCATION: (1)..(1)
155 <223> OTHER INFORMATION: 5'-3 attached terminal deoxyabasic moeity
157 <220> FEATURE:
158 <221> NAME/KEY: misc_feature
159 <222> LOCATION: (21)..(21)
160 <223> OTHER INFORMATION: 3'-3 attached terminal deoxyabasic moeity
162 <400> SEQUENCE: 4
163 ugauugggga ucuuggaguu u                                          21
166 <210> SEQ ID NO: 5
167 <211> LENGTH: 21
168 <212> TYPE: RNA
169 <213> ORGANISM: Artificial Sequence
171 <220> FEATURE:
172 <223> OTHER INFORMATION: Description of Artificial Sequence: siNA antisense region
175 <220> FEATURE:
176 <221> NAME/KEY: misc_feature
177 <222> LOCATION: (1)..(1)
178 <223> OTHER INFORMATION: 5'-3 attached terminal deoxyabasic moeity
180 <220> FEATURE:
181 <221> NAME/KEY: misc_feature
182 <222> LOCATION: (21)..(21)
183 <223> OTHER INFORMATION: 3'-3 attached terminal deoxyabasic moeity
185 <400> SEQUENCE: 5
186 guuggagucu guaggacuug g                                          21
189 <210> SEQ ID NO: 6
190 <211> LENGTH: 21
191 <212> TYPE: RNA
192 <213> ORGANISM: Artificial Sequence
194 <220> FEATURE:
195 <223> OTHER INFORMATION: Description of Artificial Sequence: siNA sense region
198 <220> FEATURE:
199 <221> NAME/KEY: misc_feature
200 <222> LOCATION: (1)..(1)
201 <223> OTHER INFORMATION: 5'-3 attached terminal deoxyabasic moeity
203 <220> FEATURE:
204 <221> NAME/KEY: misc_feature
205 <222> LOCATION: (21)..(21)
206 <223> OTHER INFORMATION: 3'-3 attached terminal deoxyabasic moeity
```

RAW SEQUENCE LISTING   DATE: 03/27/2007
PATENT APPLICATION: US/10/826,966B   TIME: 15:00:13

Input Set : N:\efs\03_27_07\10826966B_efs\03-465-D_Sequence.TXT
Output Set: N:\CRF4\03272007\J826966B.raw

```
208 <400> SEQUENCE: 6
209 ccaaguccua cagacuccaa c                                          21
212 <210> SEQ ID NO: 7
213 <211> LENGTH: 21
214 <212> TYPE: RNA
215 <213> ORGANISM: Artificial Sequence
217 <220> FEATURE:
218 <223> OTHER INFORMATION: Description of Artificial Sequence: siNA antisense region
221 <220> FEATURE:
222 <221> NAME/KEY: misc_feature
223 <222> LOCATION: (1)..(1)
224 <223> OTHER INFORMATION: 5'-3 attached terminal deoxyabasic moeity
226 <220> FEATURE:
227 <221> NAME/KEY: misc_feature
228 <222> LOCATION: (21)..(21)
229 <223> OTHER INFORMATION: 3'-3 attached terminal deoxyabasic moeity
231 <400> SEQUENCE: 7
232 gcaaaaaccc ugugauuucc u                                          21
235 <210> SEQ ID NO: 8
236 <211> LENGTH: 21
237 <212> TYPE: RNA
238 <213> ORGANISM: Artificial Sequence
240 <220> FEATURE:
241 <223> OTHER INFORMATION: Description of Artificial Sequence: siNA sense region
244 <220> FEATURE:
245 <221> NAME/KEY: misc_feature
246 <222> LOCATION: (1)..(1)
247 <223> OTHER INFORMATION: 5'-3 attached terminal deoxyabasic moeity
249 <220> FEATURE:
250 <221> NAME/KEY: misc_feature
251 <222> LOCATION: (21)..(21)
252 <223> OTHER INFORMATION: 3'-3 attached terminal deoxyabasic moeity
254 <400> SEQUENCE: 8
255 aggaaaucac aggguuuuug c                                          21
258 <210> SEQ ID NO: 9
259 <211> LENGTH: 21
260 <212> TYPE: RNA
261 <213> ORGANISM: Artificial Sequence
263 <220> FEATURE:
264 <223> OTHER INFORMATION: Description of Artificial Sequence: siNA antisense region
267 <220> FEATURE:
268 <221> NAME/KEY: misc_feature
269 <222> LOCATION: (1)..(1)
270 <223> OTHER INFORMATION: 5'-3 attached terminal deoxyabasic moeity
272 <220> FEATURE:
273 <221> NAME/KEY: misc_feature
274 <222> LOCATION: (21)..(21)
275 <223> OTHER INFORMATION: 3'-3 attached terminal deoxyabasic moeity
277 <400> SEQUENCE: 9
```

```
278 uuggucaguu ucuggcaguu c                                              21
281 <210> SEQ ID NO: 10
282 <211> LENGTH: 21
283 <212> TYPE: RNA
284 <213> ORGANISM: Artificial Sequence
286 <220> FEATURE:
287 <223> OTHER INFORMATION: Description of Artificial Sequence: siNA sense region
290 <220> FEATURE:
291 <221> NAME/KEY: misc_feature
292 <222> LOCATION: (1)..(1)
293 <223> OTHER INFORMATION: 5'-3 attached terminal deoxyabasic moeity
295 <220> FEATURE:
296 <221> NAME/KEY: misc_feature
297 <222> LOCATION: (21)..(21)
298 <223> OTHER INFORMATION: 3'-3 attached terminal deoxyabasic moeity
300 <400> SEQUENCE: 10
301 gaacugccag aaacugacca a                                              21
304 <210> SEQ ID NO: 11
305 <211> LENGTH: 21
306 <212> TYPE: RNA
307 <213> ORGANISM: Artificial Sequence
309 <220> FEATURE:
310 <223> OTHER INFORMATION: Description of Artificial Sequence: siNA sense region
313 <220> FEATURE:
314 <221> NAME/KEY: misc_feature
315 <222> LOCATION: (1)..(1)
316 <223> OTHER INFORMATION: 5'-3 attached terminal deoxyabasic moeity
318 <220> FEATURE:
319 <221> NAME/KEY: misc_feature
320 <222> LOCATION: (21)..(21)
321 <223> OTHER INFORMATION: 3'-3 attached terminal deoxyabasic moeity
323 <400> SEQUENCE: 11
324 gguccuuucu uggaucaacc c                                              21
327 <210> SEQ ID NO: 12
328 <211> LENGTH: 21
329 <212> TYPE: RNA
330 <213> ORGANISM: Artificial Sequence
332 <220> FEATURE:
333 <223> OTHER INFORMATION: Description of Artificial Sequence: siNA antisense region
336 <220> FEATURE:
337 <221> NAME/KEY: misc_feature
338 <222> LOCATION: (1)..(1)
339 <223> OTHER INFORMATION: 5'-3 attached terminal deoxyabasic moeity
341 <220> FEATURE:
342 <221> NAME/KEY: misc_feature
343 <222> LOCATION: (21)..(21)
344 <223> OTHER INFORMATION: 3'-3 attached terminal deoxyabasic moeity
346 <400> SEQUENCE: 12
347 ggguugaucc aagaaaggac c                                              21
```

RAW SEQUENCE LISTING ERROR SUMMARY   DATE: 03/27/2007
PATENT APPLICATION: US/10/826,966B   TIME: 15:00:14

FYI

Input Set : N:\efs\03_27_07\10826966B_efs\03-465-D_Sequence.TXT
Output Set: N:\CRF4\03272007\J826966B.raw

Please Note:
Use of n and/or Xaa have been detected in the Sequence Listing. Please review the
Sequence Listing to ensure that a corresponding explanation is presented in the <220>
to <223> fields of each sequence which presents at least one n or Xaa.

```
Seq#:67; N Pos. 20,21
Seq#:68; N Pos. 20,21
Seq#:69; N Pos. 20,21
Seq#:70; N Pos. 20,21
Seq#:71; N Pos. 20,21
Seq#:72; N Pos. 20,21
Seq#:73; N Pos. 20,21
Seq#:74; N Pos. 20,21
Seq#:75; N Pos. 20,21
Seq#:76; N Pos. 20,21
Seq#:77; N Pos. 20,21
Seq#:78; N Pos. 20,21
Seq#:79; N Pos. 20,21
Seq#:80; N Pos. 20,21
Seq#:82; N Pos. 14,15
Seq#:84; N Pos. 12,13
Seq#:85; N Pos. 20,21
Seq#:86; N Pos. 20,21
Seq#:87; N Pos. 20,21
Seq#:88; N Pos. 20,21
Seq#:89; N Pos. 20,21
Seq#:90; N Pos. 20,21
Seq#:91; N Pos. 20,21
Seq#:92; N Pos. 20,21
Seq#:93; N Pos. 20,21
Seq#:94; N Pos. 20,21
Seq#:95; N Pos. 20,21
Seq#:96; N Pos. 20,21
Seq#:97; N Pos. 20,21
Seq#:98; N Pos. 20,21
Seq#:99; N Pos. 20,21
Seq#:100; N Pos. 20,21
Seq#:101; N Pos. 20,21
Seq#:102; N Pos. 20,21
Seq#:103; N Pos. 20,21
Seq#:104; N Pos. 20,21
Seq#:105; N Pos. 20,21
Seq#:106; N Pos. 20,21
Seq#:107; N Pos. 20,21
Seq#:108; N Pos. 20,21
Seq#:109; N Pos. 20,21
Seq#:110; N Pos. 20,21
Seq#:111; N Pos. 20,21
Seq#:112; N Pos. 20,21
```

RAW SEQUENCE LISTING ERROR SUMMARY   DATE: 03/27/2007
PATENT APPLICATION: US/10/826,966B   TIME: 15:00:14

Input Set : **N:\efs\03_27_07\10826966B_efs\03-465-D_Sequence.TXT**
Output Set: **N:\CRF4\03272007\J826966B.raw**

Seq#:113; N Pos. 20,21
Seq#:114; N Pos. 20,21
Seq#:115; N Pos. 20,21
Seq#:116; N Pos. 20,21
Seq#:117; N Pos. 20,21
Seq#:118; N Pos. 20,21
Seq#:119; N Pos. 20,21

VERIFICATION SUMMARY   DATE: 03/27/2007
PATENT APPLICATION: US/10/826,966B   TIME: 15:00:14

Input Set : N:\efs\03_27_07\10826966B_efs\03-465-D_Sequence.TXT
Output Set: N:\CRF4\03272007\J826966B.raw

```
L:1392 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:67 after pos.:0
L:1415 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:68 after pos.:0
L:1438 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:69 after pos.:0
L:1461 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:70 after pos.:0
L:1489 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:71 after pos.:0
L:1542 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:72 after pos.:0
L:1570 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:73 after pos.:0
L:1598 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:74 after pos.:0
L:1626 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:75 after pos.:0
L:1654 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:76 after pos.:0
L:1707 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:77 after pos.:0
L:1740 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:78 after pos.:0
L:1768 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:79 after pos.:0
L:1796 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:80 after pos.:0
L:1831 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:82 after pos.:0
L:1866 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:84 after pos.:0
L:1924 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:85 after pos.:0
L:1952 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:86 after pos.:0
L:2010 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:87 after pos.:0
L:2033 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:88 after pos.:0
L:2056 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:89 after pos.:0
L:2079 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:90 after pos.:0
L:2102 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:91 after pos.:0
L:2125 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:92 after pos.:0
L:2148 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:93 after pos.:0
L:2171 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:94 after pos.:0
L:2194 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:95 after pos.:0
L:2217 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:96 after pos.:0
L:2240 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:97 after pos.:0
L:2263 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:98 after pos.:0
L:2286 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:99 after pos.:0
L:2334 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:100 after pos.:0
L:2362 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:101 after pos.:0
L:2415 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:102 after pos.:0
L:2443 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:103 after pos.:0
L:2471 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:104 after pos.:0
L:2499 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:105 after pos.:0
L:2527 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:106 after pos.:0
L:2550 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:107 after pos.:0
L:2573 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:108 after pos.:0
L:2596 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:109 after pos.:0
L:2619 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:110 after pos.:0
L:2642 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:111 after pos.:0
L:2665 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:112 after pos.:0
L:2688 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:113 after pos.:0
L:2711 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:114 after pos.:0
L:2734 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:115 after pos.:0
L:2757 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:116 after pos.:0
```

VERIFICATION SUMMARY   DATE: 03/27/2007
PATENT APPLICATION: US/10/826,966B   TIME: 15:00:14

Input Set : **N:\efs\03_27_07\10826966B_efs\03-465-D_Sequence.TXT**
Output Set: **N:\CRF4\03272007\J826966B.raw**

```
L:2780 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:117 after pos.:0
L:2803 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:118 after pos.:0
L:16278 M:300 W: (50) Intentionally skipped Sequence, : Sequence Id (517) SEQUENCE:
L:16284 M:300 W: (50) Intentionally skipped Sequence, : Sequence Id (518) SEQUENCE:
L:16290 M:300 W: (50) Intentionally skipped Sequence, : Sequence Id (519) SEQUENCE:
L:16295 M:300 W: (50) Intentionally skipped Sequence, : Sequence Id (520) SEQUENCE:
L:16628 M:300 W: (50) Intentionally skipped Sequence, : Sequence Id (531) SEQUENCE:
```